

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:	Steve PAKOLA et al.	Confirmation No.:	3082
Application No.:	10/729,475	Art Unit:	1651
Filed:	December 5, 2003	Examiner:	T. Kim
Title:	PHARMACOLOGICAL VITREOLYSIS		

Attention: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450
FOR CERTIFICATE OF CORRECTION

REQUEST FOR CERTIFICATE OF CORRECTION
PURSUANT TO 37 CFR 1.323

Dear Madam:

Upon reviewing the above-identified patent, Patentee noted typographical errors, of which Patentee respectfully requests correction, as indicated below.

In the Specification:

Column 30, line 46: "the factor" should be "the α -factor"

Column 31, line 24: "a minutes" should be "a 2 minutes"

Column 34, line 28: " Na_2HPQ_4 " should be " Na_2HPO_4 "

Column 34, line 49: "2.5 gm" should be "2.5 μm "

Column 37, line 49: "62.5 jig, 125 ptg" should be "62.5 μg , 125 μg "

Column 48, line 54: "plasmnin-treated" should be "plasmin-treated"

In the Claims:


Claim 5, column 69, line 32: "having, a" should be "having a"

Transmitted herewith is a proposed Certificate of Correction effecting such amendments. Patentee respectfully solicits the granting of the requested Certificate of Correction.

These errors were not in the application as filed, and it is believed they were due to PTO error. Accordingly, no fee is believed to be due. However, if a fee is due, please charge our Deposit Account No. 08-0219, under Order No. 0113476.00122US1 from which the undersigned is authorized to draw.

Dated: July 23, 2009

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Rolando Medina", written over a horizontal line.

Rolando Medina

Registration No.: 54,756

Attorney for Applicant(s)

Wilmer Cutler Pickering Hale and Dorr LLP
60 State Street
Boston, Massachusetts 02109
(617) 526-6000 (telephone)
(617) 526-5000 (facsimile)

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 7,547,435
APPLICATION NO. : 10/729,475
ISSUE DATE : June 16, 2009
INVENTOR(S) : Steve PAKOLA et al.

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 30, line 46: "the factor" should be "the α -factor"

Column 31, line 24: "a minutes" should be "a 2 minutes"

Column 34, line 28: " Na_2HPO_4 " should be " Na_2HPO_4 "

Column 34, line 49: "2.5 gm" should be "2.5 μm "

Column 37, line 49: "62.5 jig, 125 ptg" should be "62.5 μg , 125 μg "

Column 48, line 54: "plasmnin-treated" should be "plasmin-treated"

Claim 5, column 69, line 32: "having, a" should be "having a"